

Coronavirus disease (COVID-19)

Situation Report – 163

Data as received by WHO from national authorities by 10:00 CEST, 1 July 2020

Highlights

It has never been clearer that <u>communication is an important public health intervention</u> that contributes to controlling pandemics. The WHO Regional Office for Europe discusses this and the risks of an "infodemic" – an overabundance of information, some of which can be misleading or even harmful. <u>WHO launched the first Infodemiology conference on 29 June</u>, which includes talks with experts on how the infodemic affects the world and reflections on how it can be managed.

Cambodia has been responding to a measles outbreak at the same time as the COVID-19 outbreak. WHO has supported efforts for routine immunization in Cambodia at health care facilities, and in the community through outreach teams.

WHO has published an update to the <u>scientific brief on smoking and COVID-19</u>, which assesses the available evidence on the risk of smokers being infected by the virus, severity of disease, and deaths among hospitalized COVID-19 patients who smoke. The conclusion remains that smoking appears associated with increased severity of disease and death in hospitalized COVID-19 patients.

In today's <u>Subject in Focus</u> below, we provide an update on WHO's efforts to bolster the COVID-19 supply chain system.

Situation in numbers (by WHO Region)

Total (new cases in last 24 hours)

| Globally | 10 357 662 cases (163 939) | 508 055 deaths (4 188) |
|-----------------------|----------------------------|------------------------|
| Africa | 306 794 cases (9 504) | 6 192 deaths (182) |
| Americas | 5 218 590 cases (81 885) | 249 318 deaths (2 189) |
| Eastern Mediterranean | 1 077 426 cases (19 371) | 24 970 deaths (547) |
| Europe | 2 728 059 cases (27 624) | 197 874 deaths (615) |
| South-East Asia | 808 906 cases (23 975) | 22 235 deaths (642) |
| Western Pacific | 217 146 cases (1 580) | 7 453 deaths (13) |

Subject in Focus: COVID-19 Supply Chain System - Progress Update

Personal Protective Equipment

Through the Personal Protective Equipment (PPE) purchasing consortium, WHO has secured 140.8 million pieces of equipment, which are being shipped to 135 countries in all WHO regions. WHO is also delivering an additional 100 million medical masks and 1 million N95 respirators donated by the Jack Ma Foundation.

In the WHO Region of the Americas, PPE has been delivered to Ecuador and shipments are presently en route to Peru, Barbados, Belize, El Salvador, Paraguay, and Venezuela.

A total of 41 million PPE items are being prepared for delivery as a matter of priority to all African countries in the coming weeks.

PPE for allocation to all Eastern Mediterranean Region countries has arrived in Dubai, United Arab Emirates, and are being prepared for shipment.

In the European Region, PPE has been delivered to Azerbaijan, Belarus, and Ukraine. Allocations to Armenia, Georgia, and Moldova are ready to ship and will be dispatched in the coming week.

Diagnostics

Through the diagnostics purchasing consortium, WHO, UNICEF and the Global Fund have procured close to 6 million polymerase chain reaction (PCR) tests from several manufacturers, for allocation to 132 countries.

Tests are being produced and packed by suppliers for shipment in the coming weeks. As of 29 June, 392 258 PCR tests have been delivered to 28 countries. An additional 1.4 million tests are presently in transit to 40 countries.

A total of 5.2 million sample collection kits have been procured, of which 184 640 kits have been delivered to 19 countries. Currently, 235 020 sample collection kits are in transit to 24 countries.

The Diagnostics Pillar has completed the following documentation to clarify the diagnostics request and allocation process:

<u>Principles guiding the diagnostics allocation process</u>

Procedures for requesting diagnostics tests through the COVID-19 Supply Portal

Frequently asked questions regarding technical issues related to diagnostic tests

Biomedical Equipment

Many countries have had particular difficulty obtaining oxygen concentrators, which produce medical oxygen and are essential to saving the lives of patients with severe COVID-19. By working with private sector networks to purchase oxygen concentrators from the handful of manufacturers around the world that produce this equipment, WHO and consortium partners

are beginning to deliver these lifesaving devices to countries most in need. Of the initial 4000 oxygen concentrators WHO has procured, 3265 have been delivered to 18 countries and 637 are in transit to 10 additional countries.

Of the second procurement of 10 000 oxygen concentrators, 5000 have been delivered to a warehouse in China and are being prepared for shipment in July.

COVID-19 Supply Portal

Since the launch of the COVID-19 Supply Portal, 312 requests for essential supplies have been submitted (as of 26 June 2020).

WHO encourages national authorities and partners to request submissions through the COVID-19 Supply Portal in support of national response plans. Member States may request supplies using any source of funding, including government and donor financing.


Technical field support for COVID-19 treatment centres

WHO's Operations Support Logistics (OSL) Technical HelpDesk, in collaboration with a network of architects and engineers, is supporting the design of COVID-19 treatment centres in:

- Italy: WHO is supporting the Italian Ministry of Health (MoH) in the development of procedures for the post-acute COVID-19 phase. In the Emilia Romagna region, WHO is working with the MoH regional health authorities to rehabilitate emergency room units in all hospitals in the region to strengthen IPC standards and adapt patient and staff pathways to accommodate post-acute COVID-19 care services. The project will start with two of the biggest hospitals (2000- bed and 2500-bed capacity) to assess and evaluate new standards and designs for a region-wide project.
- Ghana: WHO is supporting the opening of a 68-bed capacity COVID-19 field hospital to provide medical evacuation services for the West and Central Africa region. The hospital will be managed by a private emergency medical company and is scheduled to begin operations in July.
- Mozambique: WHO is supporting the review of the layout of two laboratories funded by the United Nations Development Programme (UNDP) as part of the country's efforts to scale up COVID-19 testing capacity.
- **Burkina Faso:** The design and layout of a 30-bed capacity multipurpose permanent structure in Dori is nearing completion of.
- Chad: Work is in progress, in coordination with the MoH and the World Food Programme (WFP), to repurpose existing facilities to set up three COVID-19 treatment centers, each with a 26-bed capacity.


Surveillance

Figure 1. Number of confirmed COVID-19 cases reported in the last seven days by country, territory or area, 25 June to 1 July **



^{**}See <u>Annex 1</u> for data, table and figure notes.

Figure 2. Number of confirmed COVID-19 cases, by date of report and WHO region, 30 December through 1 July**



^{**}See <u>Annex 1</u> for data, table and figure notes.

Table 1. Countries, territories or areas with reported laboratory-confirmed COVID-19 cases and deaths, by WHO region. Data as of 10 AM CEST, 1 July 2020**

| Reporting Country/ Territory/Area | Total confirmed cases | Total confirmed new cases | Total deaths | Total new deaths | Transmission classification ⁱ | Days since last reported case |
|-----------------------------------|-----------------------|---------------------------|--------------|------------------|---------------------------------------------|-------------------------------|
| Africa | | | | | | |
| South Africa | 151 209 | 6 945 | 2 657 | 128 | Community transmission | 0 |
| Nigeria | 25 694 | 561 | 590 | 17 | Community transmission | 0 |
| Ghana | 17 741 | 390 | 112 | 0 | Community transmission | 0 |
| Algeria | 13 907 | 336 | 912 | 7 | Community transmission | 0 |
| Cameroon | 12 592 | 0 | 313 | 0 | Community transmission | 5 |
| Côte d'Ivoire | 9 214 | 113 | 66 | 0 | Community transmission | 0 |
| Democratic Republic of the Congo | 7 038 | 100 | 169 | 3 | Community transmission | 0 |
| Senegal | 6 793 | 95 | 112 | 4 | Community transmission | 0 |
| Kenya | 6 366 | 176 | 148 | 4 | Community transmission | 0 |
| Ethiopia | 5 846 | 0 | 103 | 0 | Community transmission | 1 |
| Gabon | 5 394 | 0 | 42 | 0 | Community transmission | 1 |
| Guinea | 5 391 | 40 | 33 | 2 | Community transmission | 0 |
| Mauritania | 4 237 | 88 | 128 | 2 | Clusters of cases | 0 |
| Central African Republic | 3 745 | 132 | 47 | 0 | Community transmission | 0 |
| Madagascar | 2 214 | 76 | 20 | 0 | Clusters of cases | 0 |
| Mali | 2 181 | 8 | 116 | 1 | Community transmission | 0 |
| South Sudan | 2 007 | 1 | 38 | 1 | Clusters of cases | 0 |
| Guinea-Bissau | 1 654 | 0 | 24 | 0 | Community transmission | 1 |
| Zambia | 1 594 | 26 | 24 | 2 | Community transmission | 0 |
| Sierra Leone | 1 462 | 12 | 60 | 0 | Community transmission | 0 |
| Congo | 1 329 | 84 | 41 | 1 | Community transmission | 0 |

| Reporting Country/ Territory/Area | Total confirmed cases | Total confirmed new cases | Total deaths | Total new deaths | Transmission classification ⁱ | Days since last reported case |
|-----------------------------------|-----------------------|---------------------------|--------------|------------------|---------------------------------------------|-------------------------------|
| Malawi | 1 265 | 41 | 16 | 2 | Clusters of cases | 0 |
| Cabo Verde | 1 227 | 62 | 15 | 3 | Clusters of cases | 0 |
| Benin | 1 199 | 12 | 21 | 2 | Community transmission | 0 |
| Niger | 1 075 | 0 | 67 | 0 | Community transmission | 1 |
| Equatorial Guinea | 1 043 | 0 | 12 | 0 | Community transmission | 38 |
| Rwanda | 1 025 | 24 | 2 | 0 | Sporadic cases | 0 |
| Burkina Faso | 962 | 3 | 53 | 0 | Community transmission | 0 |
| Mozambique | 889 | 6 | 6 | 1 | Clusters of cases | 0 |
| Uganda | 889 | 19 | 0 | 0 | Sporadic cases | 0 |
| Chad | 866 | 0 | 74 | 0 | Community transmission | 2 |
| Eswatini | 812 | 17 | 11 | 0 | Clusters of cases | 0 |
| Liberia | 780 | 10 | 36 | 0 | Community transmission | 0 |
| Togo | 643 | 1 | 14 | 0 | Community transmission | 0 |
| Zimbabwe | 591 | 17 | 7 | 0 | Sporadic cases | 0 |
| United Republic of Tanzania | 509 | 0 | 21 | 0 | Community transmission | 54 |
| São Tomé and Principe | 394 | 1 | 11 | 0 | Clusters of cases | 0 |
| Mauritius | 341 | 0 | 10 | 0 | Clusters of cases | 6 |
| Comoros | 303 | 10 | 7 | 0 | Community transmission | 0 |
| Angola | 284 | 8 | 13 | 2 | Clusters of cases | 0 |
| Botswana | 227 | 52 | 1 | 0 | Clusters of cases | 0 |
| Eritrea | 203 | 12 | 0 | 0 | Sporadic cases | 0 |
| Namibia | 203 | 20 | 0 | 0 | Sporadic cases | 0 |
| Burundi | 170 | 0 | 1 | 0 | Clusters of cases | 2 |

| Reporting Country/ Territory/Area | Total confirmed cases | Total confirmed new cases | Total deaths | Total new deaths | Transmission classification ⁱ | Days since last reported case |
|------------------------------------|-----------------------|---------------------------|--------------|------------------|---------------------------------------------|-------------------------------|
| Seychelles | 81 | 0 | 0 | 0 | Clusters of cases | 1 |
| Gambia | 49 | 2 | 2 | 0 | Sporadic cases | 0 |
| Lesotho | 27 | 0 | 0 | 0 | Sporadic cases | 2 |
| Territories ⁱⁱ | | | | | | |
| Mayotte | 2 603 | 0 | 35 | 0 | Clusters of cases | 1 |
| Réunion | 526 | 4 | 2 | 0 | Clusters of cases | 0 |
| Americas | | | | | | |
| United States of America | 2 573 393 | 35 757 | 126 573 | 370 | Community transmission | 0 |
| Brazil | 1 368 195 | 24 052 | 58 314 | 692 | Community transmission | 0 |
| Peru | 282 365 | 2 946 | 9 504 | 187 | Community transmission | 0 |
| Chile | 279 393 | 3 394 | 5 688 | 113 | Community transmission | 0 |
| Mexico | 220 657 | 3 805 | 27 121 | 473 | Community transmission | 0 |
| Canada | 103 918 | 668 | 8 566 | 44 | Community transmission | 0 |
| Colombia | 95 043 | 3 274 | 3 223 | 117 | Community transmission | 0 |
| Argentina | 62 268 | 2 335 | 1 283 | 38 | Community transmission | 0 |
| Ecuador | 56 342 | 677 | 4 527 | 25 | Community transmission | 0 |
| Panama | 32 785 | 1 099 | 620 | 16 | Community transmission | 0 |
| Dominican Republic | 32 568 | 752 | 747 | 14 | Community transmission | 0 |
| Bolivia (Plurinational State of) | 32 125 | 601 | 1 071 | 57 | Community transmission | 0 |
| Honduras | 18 818 | 736 | 485 | 6 | Community transmission | 0 |
| Guatemala | 17 409 | 479 | 746 | 19 | Community transmission | 0 |
| El Salvador | 6 438 | 265 | 174 | 10 | Community transmission | 0 |
| Haiti | 5 933 | 86 | 105 | 1 | Community transmission | 0 |
| Venezuela (Bolivarian Republic of) | 5 530 | 233 | 48 | 4 | Community transmission | 0 |

| Reporting Country/ Territory/Area | Total confirmed cases | Total confirmed new cases | Total deaths | Total new deaths | Transmission classification ⁱ | Days since last reported case |
|-----------------------------------|-----------------------|---------------------------|--------------|------------------|---------------------------------------------|-------------------------------|
| Costa Rica | 3 269 | 139 | 15 | 0 | Clusters of cases | 0 |
| Cuba | 2 341 | 1 | 86 | 0 | Clusters of cases | 0 |
| Paraguay | 2 221 | 94 | 17 | 2 | Community transmission | 0 |
| Nicaragua | 2 014 | 0 | 74 | 0 | Community transmission | 13 |
| Uruguay | 932 | 3 | 27 | 0 | Clusters of cases | 0 |
| Jamaica | 698 | 2 | 10 | 0 | Clusters of cases | 0 |
| Suriname | 515 | 23 | 13 | 0 | Clusters of cases | 0 |
| Guyana | 235 | 5 | 12 | 0 | Clusters of cases | 0 |
| Trinidad and Tobago | 130 | 4 | 8 | 0 | Sporadic cases | 0 |
| Bahamas | 104 | 0 | 11 | 0 | Clusters of cases | 15 |
| Barbados | 97 | 0 | 7 | 0 | Clusters of cases | 15 |
| Antigua and Barbuda | 66 | 1 | 3 | 0 | Clusters of cases | 0 |
| Saint Vincent and the Grenadines | 29 | 0 | 0 | 0 | Sporadic cases | 13 |
| Belize | 24 | 0 | 2 | 0 | Sporadic cases | 3 |
| Grenada | 23 | 0 | 0 | 0 | Clusters of cases | 35 |
| Saint Lucia | 19 | 0 | 0 | 0 | Sporadic cases | 25 |
| Dominica | 18 | 0 | 0 | 0 | Clusters of cases | 18 |
| Saint Kitts and Nevis | 15 | 0 | 0 | 0 | No cases | 71 |
| Territories ⁱⁱ | | | | | | |
| Puerto Rico | 7 465 | 215 | 153 | 0 | Community transmission | 0 |
| French Guiana | 4 004 | 230 | 15 | 0 | Community transmission | 0 |
| Martinique | 242 | 0 | 14 | 0 | Clusters of cases | 3 |
| Cayman Islands | 199 | 3 | 1 | 0 | Clusters of cases | 0 |
| Guadeloupe | 182 | 0 | 14 | 0 | Clusters of cases | 4 |
| | | | | | | |

| Reporting Country/ Territory/Area | Total confirmed cases | Total confirmed new cases | Total deaths | Total new deaths | Transmission classification ⁱ | Days since last reported case |
|-----------------------------------|-----------------------|---------------------------|--------------|------------------|---------------------------------------------|-------------------------------|
| Bermuda | 146 | 0 | 9 | 0 | Sporadic cases | 10 |
| Aruba | 103 | 2 | 3 | 0 | No cases | 0 |
| United States Virgin Islands | 84 | 3 | 6 | 0 | Clusters of cases | 0 |
| Sint Maarten | 77 | 0 | 15 | 0 | No cases | 25 |
| Saint Martin | 43 | 0 | 3 | 0 | Sporadic cases | 1 |
| Turks and Caicos Islands | 41 | 0 | 2 | 1 | Clusters of cases | 1 |
| Curaçao | 25 | 1 | 1 | 0 | No cases | 0 |
| Falkland Islands (Malvinas) | 13 | 0 | 0 | 0 | No cases | 66 |
| Montserrat | 11 | 0 | 1 | 0 | No cases | 78 |
| British Virgin Islands | 8 | 0 | 1 | 0 | No cases | 46 |
| Bonaire, Sint Eustatius and Saba | 7 | 0 | 0 | 0 | No cases | 36 |
| Saint Barthélemy | 6 | 0 | 0 | 0 | No cases | 92 |
| Anguilla | 3 | 0 | 0 | 0 | No cases | 88 |
| Saint Pierre and Miquelon | 1 | 0 | 0 | 0 | No cases | 84 |
| Eastern Mediterranean | | | | | | |
| Iran (Islamic Republic of) | 227 662 | 2 457 | 10 817 | 147 | Community transmission | 0 |
| Pakistan | 213 470 | 4 133 | 4 395 | 91 | Clusters of cases | 0 |
| Saudi Arabia | 190 823 | 4 387 | 1 649 | 50 | Clusters of cases | 0 |
| Qatar | 96 088 | 982 | 113 | 0 | Community transmission | 0 |
| Egypt | 68 311 | 1 557 | 2 953 | 81 | Clusters of cases | 0 |
| Iraq | 49 109 | 1 958 | 1 943 | 104 | Community transmission | 0 |
| United Arab Emirates | 48 667 | 421 | 315 | 1 | Community transmission | 0 |
| Kuwait | 46 195 | 671 | 354 | 4 | Clusters of cases | 0 |
| Oman | 40 070 | 1 010 | 176 | 7 | Community transmission | 0 |

| Reporting Country/ Territory/Area | Total confirmed cases | Total confirmed new cases | Total deaths | Total new deaths | Transmission classification ⁱ | Days since last reported case |
|-----------------------------------|-----------------------|---------------------------|--------------|------------------|---------------------------------------------|-------------------------------|
| Afghanistan | 31 762 | 524 | 774 | 41 | Clusters of cases | 0 |
| Bahrain | 26 758 | 519 | 87 | 3 | Clusters of cases | 0 |
| Morocco | 12 533 | 243 | 228 | 3 | Clusters of cases | 0 |
| Sudan | 9 258 | 0 | 572 | 0 | Community transmission | 4 |
| Djibouti | 4 682 | 26 | 54 | 1 | Clusters of cases | 0 |
| Somalia | 2 924 | 20 | 90 | 0 | Sporadic cases | 0 |
| Lebanon | 1 778 | 33 | 34 | 0 | Clusters of cases | 0 |
| Tunisia | 1 174 | 2 | 50 | 0 | Sporadic cases | 0 |
| Yemen | 1 162 | 30 | 313 | 8 | Community transmission | 0 |
| Jordan | 1 132 | 4 | 9 | 0 | Clusters of cases | 0 |
| Libya | 824 | 62 | 24 | 3 | Clusters of cases | 0 |
| Syrian Arab Republic | 279 | 10 | 9 | 0 | Community transmission | 0 |
| Territories ⁱⁱ | | | | | | |
| occupied Palestinian territory | 2 765 | 322 | 11 | 3 | Clusters of cases | 0 |
| Europe | | | | | | |
| Russian Federation | 654 405 | 6 556 | 9 536 | 216 | Clusters of cases | 0 |
| The United Kingdom | 312 658 | 689 | 43 730 | 155 | Community transmission | 0 |
| Spain | 249 271 | 301 | 28 355 | 9 | Community transmission | 0 |
| Italy | 240 578 | 142 | 34 767 | 23 | Community transmission | 0 |
| Turkey | 199 906 | 1 293 | 5 131 | 16 | Community transmission | 0 |
| Germany | 194 725 | 466 | 8 985 | 12 | Clusters of cases | 0 |
| France | 157 194 | 264 | 29 760 | 30 | Community transmission | 0 |
| Sweden | 68 451 | 784 | 5 333 | 23 | Community transmission | 0 |
| Belarus | 62 118 | 328 | 392 | 5 | Community transmission | 0 |

| Reporting Country/ Territory/Area | Total confirmed cases | Total confirmed new cases | Total deaths | Total new deaths | Transmission classification ⁱ | Days since last reported case |
|-----------------------------------|-----------------------|---------------------------|--------------|------------------|---------------------------------------------|-------------------------------|
| Belgium | 61 509 | 82 | 9 754 | 2 | Community transmission | 0 |
| Netherlands | 50 273 | 50 | 6 113 | 6 | Community transmission | 0 |
| Ukraine | 44 998 | 664 | 1 173 | 14 | Community transmission | 0 |
| Portugal | 42 141 | 229 | 1 576 | 8 | Community transmission | 0 |
| Kazakhstan | 41 065 | 10 897 | 188 | 0 | Clusters of cases | 0 |
| Poland | 34 393 | 239 | 1 463 | 19 | Community transmission | 0 |
| Switzerland | 31 631 | 62 | 1 683 | 2 | Community transmission | 0 |
| Romania | 26 970 | 388 | 1 651 | 17 | Community transmission | 0 |
| Armenia | 26 065 | 523 | 453 | 10 | Community transmission | 0 |
| Ireland | 25 473 | 11 | 1 736 | 1 | Clusters of cases | 0 |
| Israel | 24 567 | 737 | 319 | 0 | Pending | 0 |
| Austria | 17 777 | 111 | 705 | 2 | Community transmission | 0 |
| Azerbaijan | 17 524 | 556 | 213 | 7 | Clusters of cases | 0 |
| Republic of Moldova | 16 613 | 256 | 547 | 6 | Community transmission | 0 |
| Serbia | 14 564 | 276 | 277 | 3 | Pending | 0 |
| Denmark | 12 768 | 17 | 605 | 0 | Community transmission | 0 |
| Czechia | 11 954 | 149 | 349 | 1 | Clusters of cases | 0 |
| Norway | 8 865 | 10 | 250 | 1 | Clusters of cases | 0 |
| Uzbekistan | 8 627 | 329 | 26 | 2 | Clusters of cases | 0 |
| Finland | 7 214 | 5 | 328 | 0 | Pending | 0 |
| North Macedonia | 6 350 | 126 | 302 | 4 | Clusters of cases | 0 |
| Tajikistan | 5 954 | 54 | 52 | 0 | Pending | 0 |
| Kyrgyzstan | 5 735 | 439 | 62 | 5 | Clusters of cases | 0 |
| Bulgaria | 4 989 | 158 | 230 | 7 | Clusters of cases | 0 |

| Reporting Country/ Territory/Area | Total confirmed cases | Total confirmed new cases | Total deaths | Total new deaths | Transmission classification ⁱ | Days since last reported case |
|-----------------------------------|-----------------------|---------------------------|--------------|------------------|------------------------------------------|-------------------------------|
| Bosnia and Herzegovina | 4 453 | 110 | 185 | 2 | Community transmission | 0 |
| Luxembourg | 4 299 | 43 | 110 | 0 | Clusters of cases | 0 |
| Hungary | 4 155 | 10 | 585 | 0 | Community transmission | 0 |
| Greece | 3 409 | 19 | 192 | 1 | Clusters of cases | 0 |
| Croatia | 2 777 | 52 | 107 | 0 | Sporadic cases | 0 |
| Albania | 2 580 | 45 | 65 | 3 | Clusters of cases | 0 |
| Estonia | 1 989 | 2 | 69 | 0 | Clusters of cases | 0 |
| Iceland | 1 842 | 2 | 10 | 0 | Community transmission | 0 |
| Lithuania | 1817 | 1 | 78 | 0 | Community transmission | 0 |
| Slovakia | 1 667 | 2 | 28 | 0 | Clusters of cases | 0 |
| Slovenia | 1 600 | 15 | 111 | 0 | Clusters of cases | 0 |
| Latvia | 1 118 | 1 | 30 | 0 | Sporadic cases | 0 |
| Cyprus | 998 | 2 | 19 | 0 | Clusters of cases | 0 |
| Georgia | 931 | 3 | 15 | 0 | Sporadic cases | 0 |
| Andorra | 855 | 0 | 52 | 0 | Community transmission | 12 |
| San Marino | 713 | 0 | 42 | 0 | Community transmission | 11 |
| Malta | 670 | 0 | 9 | 0 | Sporadic cases | 4 |
| Montenegro | 548 | 47 | 12 | 1 | Clusters of cases | 0 |
| Monaco | 99 | 0 | 1 | 0 | Sporadic cases | 24 |
| Liechtenstein | 83 | 0 | 1 | 0 | Pending | 66 |
| Holy See | 12 | 0 | 0 | 0 | Sporadic cases | 55 |
| Territories ⁱⁱ | | | | | | |
| Kosovo ^[1] | 2 835 | 79 | 41 | 2 | Community transmission | 0 |

| Reporting Country/ Territory/Area | Total confirmed cases | Total confirmed new cases | Total deaths | Total new deaths | Transmission classification ⁱ | Days since last reported case |
|-----------------------------------|-----------------------|---------------------------|--------------|------------------|---------------------------------------------|-------------------------------|
| Isle of Man | 336 | 0 | 24 | 0 | Pending | 40 |
| Jersey | 319 | 0 | 31 | 0 | Community transmission | 5 |
| Guernsey | 252 | 0 | 13 | 0 | Community transmission | 59 |
| Faroe Islands | 187 | 0 | 0 | 0 | Pending | 68 |
| Gibraltar | 177 | 0 | 0 | 0 | Clusters of cases | 2 |
| Greenland | 13 | 0 | 0 | 0 | Pending | 33 |
| South-East Asia | | | | | | |
| India | 585 493 | 18 653 | 17 400 | 507 | Clusters of cases | 0 |
| Bangladesh | 145 483 | 3 682 | 1 847 | 64 | Community transmission | 0 |
| Indonesia | 56 385 | 1 293 | 2 876 | 71 | Community transmission | 0 |
| Nepal | 13 564 | 316 | 29 | 0 | Sporadic cases | 0 |
| Thailand | 3 173 | 2 | 58 | 0 | Clusters of cases | 0 |
| Maldives | 2 361 | 24 | 8 | 0 | Clusters of cases | 0 |
| Sri Lanka | 2 047 | 5 | 11 | 0 | Clusters of cases | 0 |
| Myanmar | 299 | 0 | 6 | 0 | Clusters of cases | 2 |
| Bhutan | 77 | 0 | 0 | 0 | Sporadic cases | 1 |
| Timor-Leste | 24 | 0 | 0 | 0 | No cases | 68 |
| Western Pacific | | | | | | |
| China | 85 232 | 5 | 4 648 | 0 | Clusters of cases | 0 |
| Singapore | 43 907 | 246 | 26 | 0 | Clusters of cases | 0 |
| Philippines | 37 514 | 1 076 | 1 266 | 11 | Community transmission | 0 |
| Japan | 18 723 | 130 | 974 | 2 | Clusters of cases | 0 |
| Republic of Korea | 12 850 | 50 | 282 | 0 | Clusters of cases | 0 |

| Reporting Country/ Territory/Area | Total confirmed cases | Total confirmed new cases | Total deaths | Total new deaths | Transmission classification ⁱ | Days since last reported case |
|---------------------------------------------------|-----------------------|---------------------------|--------------|------------------|---------------------------------------------|-------------------------------|
| Malaysia | 8 639 | 2 | 121 | 0 | Clusters of cases | 0 |
| Australia | 7 834 | 67 | 104 | 0 | Clusters of cases | 0 |
| New Zealand | 1 178 | 0 | 22 | 0 | Clusters of cases | 2 |
| Viet Nam | 355 | 0 | 0 | 0 | Clusters of cases | 3 |
| Mongolia | 220 | 0 | 0 | 0 | Sporadic cases | 1 |
| Brunei Darussalam | 141 | 0 | 3 | 0 | No cases | 54 |
| Cambodia | 141 | 0 | 0 | 0 | Sporadic cases | 2 |
| Lao People's Democratic Republic | 19 | 0 | 0 | 0 | Sporadic cases | 79 |
| Fiji | 18 | 0 | 0 | 0 | Sporadic cases | 71 |
| Papua New Guinea | 11 | 0 | 0 | 0 | Sporadic cases | 5 |
| Territories ⁱⁱ | | | | | | |
| Guam | 251 | 4 | 5 | 0 | Clusters of cases | 0 |
| French Polynesia | 62 | 0 | 0 | 0 | Sporadic cases | 3 |
| Northern Mariana Islands (Commonwealth of the) | 30 | 0 | 2 | 0 | Pending | 21 |
| New Caledonia | 21 | 0 | 0 | 0 | Sporadic cases | 21 |
| Subtotal for all regions | 10 356 921 | 163 939 | 508 042 | 4 188 | | |
| Other* | 741 | 0 | 13 | 0 | Not applicable | - |
| Grand total | 10 357 662 | 163 939 | 508 055 | 4 188 | | |

^{**}See Annex 1 for data, table and figure notes.

Technical guidance and other resources

- To view all technical guidance documents regarding COVID-19, please go to this webpage.
- Updates from WHO regional offices
 - WHO AFRO
 WHO EMRO
 WHO EURO
 WHO WPRO
- Research and Development
- Online courses on COVID-19 and in additional national languages
- The Strategic Preparedness and Response Plan (SPRP) outlining the support the international community can provide to all countries to prepare and respond to the virus
- WHO Coronavirus Disease (COVID-19) Dashboard
- Weekly COVID-19 Operations Updates

Recommendations and advice for the public

- Protect yourself
- Questions and answers
- Travel advice
- <u>EPI-WIN</u>: tailored information for individuals, organizations and communities

Case definitions

WHO periodically updates the <u>Global Surveillance for human infection with coronavirus disease (COVID-19)</u> document which includes surveillance definitions.

Definition of COVID-19 death

A COVID-19 death is defined for surveillance purposes as a death resulting from a clinically compatible illness in a probable or confirmed COVID-19 case, unless there is a clear alternative cause of death that cannot be related to COVID-19 disease (e.g. trauma). There should be no period of complete recovery between the illness and death.

Further guidance for certification and classification (coding) of COVID-19 as cause of death is available <u>here</u> and <u>here</u>.

Annex 1: Data, table and figure notes

Caution must be taken when interpreting all data presented. Differences are to be expected between information products published by WHO, national public health authorities, and other sources using different inclusion criteria and different data cut-off times. While steps are taken to ensure accuracy and reliability, all data are subject to continuous verification and change. Case detection, definitions, testing strategies, reporting practice, and lag times differ between countries/territories/areas. These factors, amongst others, influence the counts presented, with variable underestimation of true case and death counts, and variable delays to reflecting these data at global level.

The designations employed, and the presentation of these materials do not imply the expression of any opinion whatsoever on the part of WHO concerning the legal status of any country, territory or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement. Countries, territories and areas are arranged under the administering WHO region.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by WHO in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

[1] All references to Kosovo should be understood to be in the context of the United Nations Security Council resolution 1244 (1999). In the map, number of cases of Serbia and Kosovo (UNSCR 1244, 1999) have been aggregated for visualization purposes.

Counts reflect laboratory-confirmed cases and deaths, based on <u>WHO case</u> <u>definitions</u>, unless stated otherwise (see Country, territory, or area-specific updates and errata), and include both domestic and repatriated cases.

Other*: includes cases reported from international conveyances.

Due to the recent trend of countries conducting data reconciliation exercises which remove large numbers of cases or deaths from their total counts, WHO will now display such data as negative numbers in the "new cases" / "new deaths" columns as appropriate. This will aid readers in identifying when such adjustments occur. When additional details become available that allow the subtractions to be suitably apportioned to previous days, graphics will be updated accordingly. Prior situation reports will not be edited; see covid19.who.int for the most up-to-date data.

Additional table notes

¹ Transmission classification is based on a process of country/territory/area self-reporting. Classifications are reviewed on a weekly basis and may be revised as new information becomes available. and. Differing degrees of transmission may be present within countries/territories/areas; classification is based on the highest category reported within a country/territory/area. Categories:

- No cases: with no confirmed cases
- Sporadic cases: with one or more cases, imported or locally detected
- Clusters of cases: experiencing cases, clustered in time, geographic location and/or by common exposures
- Community transmission: experiencing larger outbreaks of local transmission defined through an assessment of factors including, but not limited to: large numbers of cases not linkable to transmission chains; large numbers of cases from sentinel lab surveillance; and/or multiple unrelated clusters in several areas of the country/territory/area
- Pending: transmission classification has not been reported to WHO

ii "Territories" include territories, areas, overseas dependencies and other jurisdictions of similar status.

Country, territory, or area-specific updates and errata

- **Update 1 July 2020, Kazakhstan:** From 1 July onwards, cases reported include both asymptomatic and symptomatic cases. The previously unreported asymptomatic cases were added on the case counts for 1 July.
- **Update 1 July 2020, Belgium:** Counts adjusted retrospectively by national authorities: death counts adjusted between 10 March and 30 June as national authorities revised their historical data.
- Update 1 July 2020, Kazakhstan: Counts adjusted retrospectively by national authorities: case counts adjusted between 14 March and 30 March and between 21 June and 30 June.