

COVID-19 Weekly Epidemiological Update

Data as received by WHO from national authorities, as of 27 December 2020, 10 am CET For the latest data and information on COVID-19, please see:

- WHO COVID-19 Dashboard
- <u>WHO COVID-19 Weekly Operational Update</u>

Global epidemiological situation

Globally in the past week, over 4 million new cases were reported. Although this is a 12% decrease compared to the previous week, this and other short-term trends in data should be interpreted with caution over the end-of-year holiday season, as numbers may be influenced by presentation, testing and reporting delays. New deaths decreased by 8% to 72 730 (Figure 1, Table 1). The Region of the Americas accounts for 48% of all new cases and 42% of all new deaths globally. While new cases and deaths remained high in the European Region, which accounted for 37% and 42% respectively, both decreased compared to the previous week. New cases and deaths declined in South-East Asia and Eastern Mediterranean regions. In the African Region, while both new cases and deaths remained low compared to other regions, there was a 20% increase in new cases and 37% in new deaths. In the Western Pacific Region, new cases increased by 13% and new deaths increased by 4%.

As of 27 December there have been over 79.2 million cases and over 1.7 million deaths reported since the start of the pandemic.

A variant of SARS-CoV-2 has been detected in South Africa through retrospective genomic analyses of the virus. Initial analysis indicates that the variant, known as 501Y.V2, may spread more readily between people. Investigations are ongoing to determine if it is associated with any change in the severity of infection, antibody response or vaccine efficacy.




Figure 1: COVID-19 cases reported weekly by WHO Region, and global deaths, as of 27 December 2020**

Reported week commencing

In the past week, the five countries reporting the highest number of cases were the United States of America (with over 1.3 million cases, a 19% decrease from the previous week), Brazil (over 285 000 cases, a 12% decrease), the United Kingdom of Great Britain and Northern Ireland (over 251 000 cases, a 45% increase), Russian Federation (over 201 000 cases, a 3% increase) and India (over 156 000 cases, a 10% decrease).

Additional Region-specific information can be found below: <u>African Region</u>, <u>Region of the Americas</u>, <u>Eastern</u> <u>Mediterranean Region</u>, <u>European Region</u>, <u>South-East Asia Region</u>, and <u>Western Pacific Region</u>.

| Table 1. Newly reported and cumulative COVID-19 confirmed cases and deaths, by WHO Region, as of 27 |
|---|
| December 2020** |

| WHO Region | New cases in last 7 days (%) | Change in new cases in last 7 days * | Cumulative cases (%) | New deaths in last 7 days (%) | Change in new deaths in last 7 days * | Cumulative deaths (%) |
|--------------------------|------------------------------------|--|-------------------------|-------------------------------------|---|--------------------------|
| Americas | 1 965 774 (48%) | -15% | 34 403 371 (43%) | 31 142 (42%) | -3% | 840 247 (47%) |
| Europe | 1 545 682 (37%) | -12% | 25 271 220 (31%) | 31 005 (42%) | -15% | 554 716 (31%) |
| South-East Asia | 231 978 (5%) | -6% | 11 842 422 (14%) | 3 911 (5%) | -1% | 180 737 (10%) |
| Eastern Mediterranean | 157 595 (3%) | -9% | 4 823 157 (6%) | 3 482 (4%) | -10% | 119 004 (6%) |
| Africa | 114 530 (2%) | 20% | 1 831 227 (2%) | 2 558 (3%) | 37% | 40 299 (2%) |
| Western Pacific | 53 073 (1%) | 13% | 1 059 751 (1%) | 663 (0%) | 4% | 19 558 (1%) |
| Global | 4 068 632 (100%) | -12% | 79 231 893 (100%) | 72 761 (100%) | -8% | 1 754 574 (100%) |

*Percent change in the number of newly confirmed cases/deaths in past seven days, compared to seven days prior. Regional percentages rounded to the nearest whole number, global totals may not equal 100%.

**For all figures included in this report please see data, table and figure notes




Figure 2. COVID-19 cases per 1 million population reported in the last seven days by countries, territories and areas, 21 December through 27 December 2020**

**See data, table and figure notes


Situation by WHO Region


African Region

In the past week, over 114 000 new cases were reported in the African Region, a 20% increase compared to the previous week, and over 2500 deaths, a 37% increase over the previous week. South Africa continues to account for the greatest proportion (72%) of new weekly cases in the Region. In the past week, the highest number of new cases were reported from South Africa (82 434 new cases; 1390 new cases per 1 million population), Nigeria (5643 new cases; 27 new cases per 1 million), Algeria (3076 new cases, 70 new cases per 1 million) and Namibia (2961 new cases, 1165 new cases per 1 million). The highest numbers of new deaths were reported from South Africa (1982 new deaths; 33 new deaths per 1 million), the Democratic Republic of the Congo (197 new deaths; 2 new deaths per 1 million) and Algeria (63 new deaths; 1 new death per 1 million).



In the Region of the Americas, the number of new weekly cases was over 1 965 000 and 31 142 new deaths, which represent 15% and 3% decreases over the previous week, respectively. The United States of America accounted for 68% of all new cases in the Region. The highest new case and deaths counts were reported in the United States of America (1 334 155 new cases, 4031 new cases per 1 million), Brazil (285 582 new cases; 1344 new cases per 1 million) and Colombia (92 635 new cases, 1821 new cases per 1 million). The highest numbers of new deaths were reported from the United States of America (16 864 new deaths; 51 new deaths per 1 million), Brazil (2838 new deaths; 23 new deaths per 1 million) and Mexico (4588 new deaths; 36 new deaths per 1 million).






Reported week commencing


Eastern Mediterranean Region

The Eastern Mediterranean Region reported over 157 000 new cases and over 3400 new deaths, reflecting a reduction of 9% and 10%, respectively compared to the previous week. Cases and deaths in the Region decreased for the fifth consecutive week. The highest number of new cases were reported from the Islamic Republic of Iran (42 891 new cases, 511 new cases per 1 million), Morocco (15 336 new cases, 415 new cases per 1 million) and Pakistan (14 809 new cases, 67 new cases per 1 million). These three countries accounted for the most new cases in the previous two weeks. The highest number of new deaths were reported from the Islamic Republic of Iran (1126 new deaths; 13 new deaths per 1 million), Pakistan (566 new deaths; 3 new deaths per 1 million) and Tunisia (300 new deaths; 25 new deaths per 1 million).




European Region

The number of new cases in the European Region remains high with over 1.5 million reported in the past week. However, the number of new cases has declined over the past week, decreasing by 12%, while deaths decreased by 15% to 31 000 new deaths. Despite the observed reductions, the European Region continues to account for the second highest number of new cases and deaths globally (37% and 42% respectively). Last week, the countries reporting the highest number of new cases were the United Kingdom of Great Britain and Northern Ireland (251 786 new cases, 3709 new cases per 1 million), the Russian Federation (201 871 new cases; 1383 new cases per 1 million). The highest number of deaths were reported from the same countries, namely Russian Federation (3920 new deaths; 27 new deaths per 1 million), Germany (3729 new deaths; 45 new deaths per 1 million) and the United Kingdom (3330 new deaths; 49 new deaths per 1 million).




South-East Asia Region

In the South-East Asia Region, nearly 232 000 new cases were reported last week, a decrease of 6% compared to the previous week, while new deaths were nearly 4000, a slight decrease of 1%. There has been an overall decline in both cases and deaths since the peak in the week beginning 7 September. The countries reporting the highest number of both new cases and new deaths in the past week were India (156 627 new cases; 113 new cases per 1 million; 2145 new deaths; 2 new deaths per 1 million), Indonesia (48 889 new cases; 179 new cases per 1 million; 1335 new deaths; 5 new deaths per 1 million) and Bangladesh (8539 new cases; 52 new cases per 1 million; 186 new deaths; 1 new death per 1 million).



Western Pacific Region

In the Western Pacific Region, new cases (13%) and deaths (4%) continued to increase, a trend which has been seen over the past eight weeks. The Region reported over 53 000 new cases and nearly 700 new deaths. The highest new cases were reported in Japan (21 432 new cases; 169 new cases per 1 million), Malaysia (11 931 new cases; 369 new cases per 1 million) and the Philippines (10 961 new cases; 100 new cases per 1 million). The countries reporting the highest number of new deaths this week were Japan (340 new deaths; 3 new deaths per 1 million), the Philippines (156 new deaths; 1 new death per 1 million) and the Republic of Korea (134 new deaths; 3 new deaths per 1 million).



| Reporting Country/Territory/Area ⁱ | New cases in last 7 days | Cumulative cases | Cumulative cases per 1 million population | New deaths in last 7 days | Cumulative deaths | Cumulative deaths per 1 million population | Transmission classification ⁱⁱ |
|--|--------------------------------|---------------------|---|---------------------------------|----------------------|---|---|
| Africa | 114 530 | 1 831 227 | 1 632 | 2 558 | 40 299 | 36 | |
| South Africa | 82 434 | 994 911 | 16 775 | 1 982 | 26 521 | 447 | Community transmission |
| Nigeria | 5 643 | 83 576 | 405 | 29 | 1 247 | 6 | Community transmission |
| Algeria | 3 076 | 97 857 | 2 232 | 63 | 2 722 | 62 | Community transmission |
| Namibia | 2 961 | 21 398 | 8 421 | 16 | 187 | 74 | Community transmission |
| Ethiopia | 2 919 | 122 413 | 1 065 | 55 | 1 901 | 17 | Community transmission |
| Uganda | 2 861 | 33 563 | 734 | 15 | 245 | 5 | Community transmission |
| Kenya | 1 692 | 95 843 | 1 782 | 22 | 1 655 | 31 | Community transmission |
| Burkina Faso | 1 301 | 6 255 | 299 | 3 | 77 | 4 | Community transmission |
| Democratic Republic of the Congo | 1 070 | 16 280 | 182 | 197 | 566 | 6 | Community transmission |
| Eswatini | 1 062 | 8 367 | 7 212 | 26 | 163 | 140 | Community transmission |
| Zambia | 1 051 | 19 671 | 1 070 | 9 | 382 | 21 | Community transmission |
| Senegal | 853 | 18 523 | 1 106 | 26 | 387 | 23 | Community transmission |
| Zimbabwe | 812 | 12 963 | 872 | 23 | 341 | 23 | Community transmission |
| Botswana | 749 | 13 622 | 5 793 | 0 | 38 | 16 | Community transmission |
| Mozambique | 685 | 18 162 | 581 | 12 | 159 | 5 | Community transmission |
| Ghana | 633 | 54 286 | 1 747 | 2 | 333 | 11 | Community transmission |
| Rwanda | 585 | 7 817 | 604 | 13 | 72 | 6 | Clusters of cases |
| Angola | 523 | 17 149 | 522 | 13 | 399 | 12 | Community transmission |
| Niger | 442 | 2 803 | 116 | 7 | 89 | 4 | Community transmission |
| Cameroon | 428 | 26 277 | 990 | 0 | 448 | 17 | Community transmission |
| Mali | 410 | 6 574 | 325 | 29 | 249 | 12 | Community transmission |
| Côte d'Ivoire | 309 | 22 081 | 837 | 0 | 133 | 5 | Community transmission |
| Lesotho | 292 | 2 577 | 1 203 | 6 | 50 | 23 | Community transmission |
| Eritrea | 238 | 992 | 280 | 1 | 1 | 0 | Sporadic cases |
| Malawi | 190 | 6 343 | 332 | 1 | 188 | 10 | Community transmission |
| Тодо | 159 | 3 555 | 429 | 2 | 68 | 8 | Community transmission |

Table 2. COVID-19 confirmed cases and deaths reported in the last seven days by countries, territories and areas, and WHO Region, as of 27 December 2020**

| Reporting Country/Territory/Area ⁱ | New cases in last 7 days | Cumulative cases | Cumulative cases per 1 million population | New deaths in last 7 days | Cumulative deaths | Cumulative deaths per 1 million population | Transmission classification ⁱⁱ |
|--|--------------------------------|---------------------|---|---------------------------------|----------------------|---|---|
| Cabo Verde | 131 | 11 698 | 21 040 | 1 | 112 | 201 | Community transmission |
| Chad | 119 | 1 986 | 121 | 1 | 103 | 6 | Community transmission |
| Guinea | 114 | 13 646 | 1 039 | 0 | 80 | 6 | Community transmission |
| Gabon | 97 | 9 497 | 4 267 | 0 | 64 | 29 | Community transmission |
| South Sudan | 80 | 3 308 | 296 | 0 | 62 | 6 | Community transmission |
| Comoros | 72 | 715 | 822 | 0 | 7 | 8 | Community transmission |
| Sierra Leone | 63 | 2 549 | 320 | 1 | 76 | 10 | Community transmission |
| Benin | 53 | 3 205 | 264 | 0 | 44 | 4 | Community transmission |
| Madagascar | 46 | 17 633 | 637 | 1 | 260 | 9 | Community transmission |
| Burundi | 43 | 804 | 68 | 0 | 2 | 0 | Community transmission |
| Equatorial Guinea | 22 | 5 236 | 3 732 | 0 | 85 | 61 | Community transmission |
| Liberia | 21 | 1 800 | 356 | 0 | 83 | 16 | Community transmission |
| Central African Republic | 12 | 4 948 | 1 024 | 0 | 63 | 13 | Community transmission |
| Seychelles | 9 | 211 | 2 145 | 0 | 0 | 0 | Sporadic cases |
| Gambia | 4 | 3 792 | 1 569 | 0 | 123 | 51 | Community transmission |
| Sao Tome and Principe | 2 | 1 014 | 4 627 | 0 | 17 | 78 | Community transmission |
| Congo | 0 | 6 200 | 1 124 | 0 | 100 | 18 | Community transmission |
| Guinea-Bissau | 0 | 2 447 | 1 243 | 1 | 45 | 23 | Community transmission |
| Mauritania | 0 | 10 971 | 2 360 | 0 | 225 | 48 | Community transmission |
| Mauritius | 0 | 524 | 412 | 0 | 10 | 8 | Clusters of cases |
| United Republic of Tanzania | 0 | 509 | 9 | 0 | 21 | 0 | Community transmission |
| Territories ⁱⁱⁱ | | | | · | | | |
| Réunion | 205 | 8 909 | 9 951 | 0 | 42 | 47 | Clusters of cases |
| Mayotte | 59 | 5 767 | 21 139 | 1 | 54 | 198 | Clusters of cases |
| Americas | 1 965 774 | 34 403 371 | 33 637 | 31 142 | 840 247 | 822 | |
| United States of America | 1 334 155 | 18 648 989 | 56 341 | 16 864 | 328 014 | 991 | Community transmission |
| Brazil | 285 582 | 7 448 560 | 35 042 | 4 838 | 190 488 | 896 | Community transmission |
| Colombia | 92 635 | 1 574 707 | 30 948 | 1 671 | 41 690 | 819 | Community transmission |

| Reporting Country/Territory/Area ⁱ | New cases in last 7 days | Cumulative cases | Cumulative cases per 1 million population | New deaths in last 7 days | Cumulative deaths | Cumulative deaths per 1 million population | Transmission classification ⁱⁱ |
|--|--------------------------------|---------------------|---|---------------------------------|----------------------|---|---|
| Mexico | 70 697 | 1 372 243 | 10 643 | 4 588 | 121 837 | 945 | Community transmission |
| Canada | 43 952 | 539 298 | 14 289 | 741 | 14 781 | 392 | Community transmission |
| Argentina | 43 180 | 1 574 554 | 34 839 | 750 | 42 422 | 939 | Community transmission |
| Panama | 20 350 | 226 660 | 52 531 | 252 | 3 756 | 870 | Community transmission |
| Chile | 15 040 | 598 394 | 31 303 | 303 | 16 404 | 858 | Community transmission |
| Peru | 11 786 | 1 005 546 | 30 497 | 399 | 37 368 | 1 133 | Community transmission |
| Dominican Republic | 6 876 | 165 940 | 15 297 | 22 | 2 404 | 222 | Community transmission |
| Paraguay | 5 592 | 103 888 | 14 565 | 104 | 2 154 | 302 | Community transmission |
| Costa Rica | 5 518 | 162 990 | 31 996 | 90 | 2 086 | 409 | Community transmission |
| Bolivia (Plurinational State of) | 4 441 | 153 590 | 13 158 | 50 | 9 083 | 778 | Community transmission |
| Uruguay | 3 898 | 15 848 | 4 562 | 34 | 143 | 41 | Community transmission |
| Ecuador | 3 354 | 209 274 | 11 862 | 42 | 13 990 | 793 | Community transmission |
| Guatemala | 2 576 | 135 171 | 7 545 | 139 | 4 763 | 266 | Community transmission |
| Honduras | 2 447 | 118 659 | 11 980 | 38 | 3 061 | 309 | Community transmission |
| Venezuela (Bolivarian Republic of) | 2 208 | 111 603 | 3 925 | 31 | 1 010 | 36 | Community transmission |
| El Salvador | 1 424 | 44 619 | 6 879 | 55 | 1 297 | 200 | Community transmission |
| Cuba | 1 014 | 11 038 | 975 | 4 | 141 | 12 | Clusters of cases |
| Belize | 561 | 10 490 | 26 381 | 13 | 228 | 573 | Community transmission |
| Jamaica | 549 | 12 684 | 4 283 | 9 | 294 | 99 | Community transmission |
| Suriname | 421 | 5 880 | 10 023 | 2 | 119 | 203 | Sporadic cases |
| Guyana | 213 | 6 289 | 7 996 | 3 | 162 | 206 | Clusters of cases |
| Haiti | 172 | 9 846 | 863 | 1 | 235 | 21 | Community transmission |
| Trinidad and Tobago | 142 | 7 097 | 5 071 | 2 | 125 | 89 | Community transmission |
| Bahamas | 55 | 7 788 | 19 804 | 5 | 169 | 430 | Clusters of cases |
| Nicaragua | 42 | 4 790 | 723 | 1 | 164 | 25 | Community transmission |
| Barbados | 40 | 347 | 1 207 | 0 | 7 | 24 | Clusters of cases |
| Saint Lucia | 25 | 305 | 1 661 | 0 | 5 | 27 | Sporadic cases |
| Grenada | 22 | 116 | 1 031 | 0 | 0 | 0 | Sporadic cases |

| Reporting Country/Territory/Area ⁱ | New cases in last 7 days | Cumulative cases | Cumulative cases per 1 million population | New deaths in last 7 days | Cumulative deaths | Cumulative deaths per 1 million population | Transmission classification ⁱⁱ |
|--|--------------------------------|---------------------|---|---------------------------------|----------------------|---|---|
| Dominica | 8 | 96 | 1 334 | 0 | 0 | 0 | Clusters of cases |
| Saint Vincent and the Grenadines | 8 | 108 | 973 | 0 | 0 | 0 | Sporadic cases |
| Antigua and Barbuda | 3 | 155 | 1 583 | 0 | 5 | 51 | Sporadic cases |
| Saint Kitts and Nevis | 0 | 30 | 564 | 0 | 0 | 0 | Sporadic cases |
| Territories ⁱⁱⁱ | · · · | | | | | | |
| Puerto Rico | 5 232 | 72 443 | 25 322 | 90 | 1 432 | 501 | Community transmission |
| Martinique | 438 | 6 072 | 16 181 | 0 | 42 | 112 | Community transmission |
| French Guiana | 404 | 12 773 | 42 765 | 0 | 71 | 238 | Community transmission |
| Curaçao | 228 | 4 051 | 24 687 | 1 | 12 | 73 | Community transmission |
| Aruba | 104 | 5 228 | 48 967 | 0 | 47 | 440 | Community transmission |
| Sint Maarten | 76 | 1 370 | 31 948 | 0 | 26 | 606 | Community transmission |
| United States Virgin Islands | 69 | 1 979 | 18 951 | 0 | 23 | 220 | Community transmission |
| Guadeloupe | 63 | 8 620 | 21 543 | 0 | 155 | 387 | Community transmission |
| Turks and Caicos Islands | 55 | 844 | 21 799 | 0 | 6 | 155 | Clusters of cases |
| Bermuda | 45 | 561 | 9 009 | 0 | 9 | 145 | Clusters of cases |
| Saint Martin | 38 | 986 | 25 505 | 0 | 12 | 310 | Community transmission |
| British Virgin Islands | 7 | 93 | 3 076 | 0 | 1 | 33 | Clusters of cases |
| Cayman Islands | 7 | 318 | 4 839 | 0 | 2 | 30 | Sporadic cases |
| Saint Barthélemy | 7 | 189 | 19 120 | 0 | 0 | 0 | Sporadic cases |
| Falkland Islands (Malvinas) | 6 | 29 | 8 326 | 0 | 0 | 0 | No cases |
| Bonaire, Sint Eustatius and Saba | 5 | 182 | 6 941 | 0 | 3 | 114 | |
| Anguilla | 2 | 12 | 800 | 0 | 0 | 0 | Sporadic cases |
| Saint Pierre and Miquelon | 2 | 16 | 2 761 | 0 | 0 | 0 | Sporadic cases |
| Montserrat | 0 | 13 | 2 601 | 0 | 1 | 200 | No cases |
| Eastern Mediterranean | 157 595 | 4 823 157 | 6 600 | 3 482 | 119 004 | 163 | |
| Iran (Islamic Republic of) | 42 891 | 1 194 963 | 14 227 | 1 126 | 54 574 | 650 | Community transmission |
| Morocco | 15 336 | 430 562 | 11 665 | 295 | 7 204 | 195 | Clusters of cases |
| Pakistan | 14 809 | 469 482 | 2 125 | 566 | 9 816 | 44 | Clusters of cases |

| Reporting Country/Territory/Area ⁱ | New cases in last 7 days | Cumulative cases | Cumulative cases per 1 million population | New deaths in last 7 days | Cumulative deaths | Cumulative deaths per 1 million population | Transmission classification ⁱⁱ |
|--|--------------------------------|---------------------|---|---------------------------------|----------------------|---|---|
| Jordan | 13 559 | 286 356 | 28 065 | 184 | 3 729 | 365 | Community transmission |
| Lebanon | 12 902 | 169 472 | 24 829 | 109 | 1 379 | 202 | Community transmission |
| Tunisia | 11 079 | 130 230 | 11 019 | 300 | 4 426 | 374 | Community transmission |
| United Arab Emirates | 8 488 | 200 892 | 20 312 | 21 | 655 | 66 | Community transmission |
| Iraq | 7 661 | 590 779 | 14 688 | 87 | 12 767 | 317 | Community transmission |
| Egypt | 6 424 | 131 315 | 1 283 | 283 | 7 352 | 72 | Clusters of cases |
| Libya | 3 881 | 97 653 | 14 212 | 69 | 1 415 | 206 | Community transmission |
| Kuwait | 1 674 | 149 449 | 34 995 | 11 | 929 | 218 | Community transmission |
| Bahrain | 1 456 | 91 518 | 53 784 | 2 | 351 | 206 | Clusters of cases |
| Afghanistan | 1 312 | 51 848 | 1 332 | 104 | 2 158 | 55 | Clusters of cases |
| Oman | 1 271 | 128 290 | 25 122 | 8 | 1 491 | 292 | Community transmission |
| Saudi Arabia | 1 218 | 362 066 | 10 400 | 64 | 6 176 | 177 | Sporadic cases |
| Qatar | 1 045 | 142 903 | 49 601 | 1 | 244 | 85 | Community transmission |
| Syrian Arab Republic | 882 | 10 932 | 625 | 68 | 669 | 38 | Community transmission |
| Sudan | 216 | 23 316 | 532 | 7 | 1 468 | 33 | Community transmission |
| Somalia | 28 | 4 690 | 295 | 3 | 127 | 8 | Sporadic cases |
| Djibouti | 24 | 5 805 | 5 876 | 0 | 61 | 62 | Clusters of cases |
| Yemen | 5 | 2 096 | 70 | 0 | 607 | 20 | Sporadic cases |
| Territories ⁱⁱⁱ | | | | | | | |
| occupied Palestinian territory | 11 434 | 148 540 | 29 117 | 174 | 1 406 | 276 | Community transmission |
| Europe | 1 545 682 | 25 271 220 | 27 074 | 31 005 | 554 716 | 594 | |
| The United Kingdom | 251 786 | 2 256 009 | 33 232 | 3 330 | 70 405 | 1 037 | Community transmission |
| Russian Federation | 201 871 | 3 050 248 | 20 901 | 3 920 | 54 778 | 375 | Clusters of cases |
| Germany | 146 849 | 1 640 858 | 19 584 | 3 729 | 29 778 | 355 | Clusters of cases |
| Turkey | 129 088 | 1 319 035 | 15 640 | 1 773 | 19 624 | 233 | Community transmission |
| Italy | 100 676 | 2 038 759 | 33 720 | 3 173 | 71 620 | 1 185 | Clusters of cases |
| France | 89 093 | 2 507 532 | 38 416 | 2 154 | 62 197 | 953 | Community transmission |
| Netherlands | 77 582 | 754 171 | 44 014 | 520 | 10 974 | 640 | Community transmission |

| Reporting Country/Territory/Area ⁱ | New cases in last 7 days | Cumulative cases | Cumulative cases per 1 million population | New deaths in last 7 days | Cumulative deaths | Cumulative deaths per 1 million population | Transmission classification ⁱⁱ |
|--|--------------------------------|---------------------|---|---------------------------------|----------------------|---|---|
| Ukraine | 61 541 | 1 025 989 | 23 460 | 1 189 | 17 774 | 406 | Community transmission |
| Poland | 55 099 | 1 257 799 | 33 234 | 1 721 | 27 118 | 717 | Community transmission |
| Czechia | 46 459 | 670 599 | 62 620 | 713 | 11 044 | 1 031 | Community transmission |
| Spain | 36 436 | 1 854 951 | 39 674 | 384 | 49 824 | 1 066 | Community transmission |
| Serbia | 26 839 | 323 367 | 46 436 | 351 | 2 983 | 428 | Community transmission |
| Romania | 25 816 | 613 760 | 31 904 | 812 | 15 108 | 785 | Community transmission |
| Portugal | 22 209 | 392 996 | 38 541 | 493 | 6 556 | 643 | Clusters of cases |
| Sweden | 21 038 | 396 048 | 39 216 | 69 | 8 279 | 820 | Community transmission |
| Switzerland | 20 636 | 426 199 | 49 245 | 461 | 6 508 | 752 | Community transmission |
| Denmark | 19 561 | 151 167 | 26 098 | 134 | 1 153 | 199 | Community transmission |
| Lithuania | 18 239 | 130 598 | 47 974 | 235 | 1 254 | 461 | Community transmission |
| Slovakia | 16 187 | 167 523 | 30 684 | 218 | 1 773 | 325 | Clusters of cases |
| Azerbaijan | 14 065 | 213 192 | 21 027 | 279 | 2 454 | 242 | Clusters of cases |
| Austria | 13 730 | 348 359 | 38 679 | 625 | 5 752 | 639 | Community transmission |
| Belarus | 13 343 | 184 922 | 19 570 | 60 | 1 376 | 146 | Community transmission |
| Hungary | 13 071 | 316 060 | 32 717 | 948 | 9 047 | 937 | Community transmission |
| Georgia | 12 967 | 221 605 | 55 552 | 283 | 2 377 | 596 | Community transmission |
| Israel | 12 342 | 383 715 | 44 332 | 63 | 3 138 | 363 | Community transmission |
| Belgium | 11 959 | 638 874 | 55 125 | 491 | 19 192 | 1 656 | Community transmission |
| Croatia | 9 968 | 204 930 | 49 919 | 494 | 3 671 | 894 | Community transmission |
| Slovenia | 9 167 | 114 192 | 54 928 | 128 | 2 530 | 1 217 | Clusters of cases |
| Ireland | 6 618 | 85 394 | 17 294 | 46 | 2 200 | 446 | Community transmission |
| Republic of Moldova | 6 418 | 140 996 | 34 952 | 156 | 2 883 | 715 | Community transmission |
| Bulgaria | 6 355 | 197 384 | 28 407 | 572 | 7 123 | 1 025 | Clusters of cases |
| Latvia | 5 522 | 35 819 | 18 990 | 88 | 515 | 273 | Clusters of cases |
| Greece | 4 629 | 135 114 | 12 963 | 451 | 4 553 | 437 | Community transmission |
| Kazakhstan | 4 566 | 196 216 | 10 450 | 0 | 2 669 | 142 | Clusters of cases |
| Armenia | 4 009 | 157 147 | 53 032 | 138 | 2 763 | 932 | Community transmission |

| Reporting Country/Territory/Area ⁱ | New cases in last 7 days | Cumulative cases | Cumulative cases per 1 million population | New deaths in last 7 days | Cumulative deaths | Cumulative deaths per 1 million population | Transmission classification ⁱⁱ |
|--|--------------------------------|---------------------|---|---------------------------------|----------------------|---|---|
| Bosnia and Herzegovina | 3 806 | 109 330 | 33 324 | 298 | 3 923 | 1 196 | Community transmission |
| Estonia | 3 598 | 25 392 | 19 142 | 30 | 204 | 154 | Clusters of cases |
| North Macedonia | 3 476 | 81 425 | 39 083 | 153 | 2 427 | 1 165 | Community transmission |
| Albania | 3 213 | 55 755 | 19 374 | 69 | 1 143 | 397 | Clusters of cases |
| Montenegro | 2 483 | 46 740 | 74 419 | 41 | 667 | 1 062 | Clusters of cases |
| Norway | 2 157 | 44 932 | 8 288 | 17 | 421 | 78 | Clusters of cases |
| Cyprus | 1 915 | 19 391 | 16 061 | 22 | 111 | 92 | Clusters of cases |
| Luxembourg | 1 709 | 45 776 | 73 127 | 30 | 470 | 751 | Community transmission |
| Finland | 1 502 | 34 084 | 6 152 | 35 | 524 | 95 | Community transmission |
| Kyrgyzstan | 1 251 | 80 373 | 12 319 | 18 | 1 348 | 207 | Clusters of cases |
| Uzbekistan | 945 | 76 751 | 2 293 | 1 | 613 | 18 | Clusters of cases |
| Malta | 620 | 12 241 | 27 723 | 19 | 206 | 467 | Clusters of cases |
| Liechtenstein | 273 | 1 998 | 52 390 | 4 | 26 | 682 | Sporadic cases |
| Andorra | 246 | 7 806 | 101 029 | 3 | 83 | 1 074 | Community transmission |
| San Marino | 157 | 2 264 | 66 710 | 2 | 57 | 1 680 | Community transmission |
| Monaco | 74 | 797 | 20 309 | 0 | 3 | 76 | Sporadic cases |
| Iceland | 62 | 5 683 | 16 654 | 0 | 28 | 82 | Community transmission |
| Holy See | 0 | 26 | 32 138 | 0 | 0 | 0 | Sporadic cases |
| Tajikistan | 0 | 13 182 | 1 382 | 0 | 89 | 9 | Pending |
| Territories ⁱⁱⁱ | | | | | | | |
| Kosovo | 1 723 | 50 362 | 27 071 | 57 | 1 295 | 696 | Community transmission |
| Gibraltar | 350 | 1 534 | 45 531 | 0 | 6 | 178 | Clusters of cases |
| Jersey | 349 | 2 583 | 23 741 | 5 | 41 | 377 | Community transmission |
| Faroe Islands | 25 | 571 | 11 685 | 0 | 0 | 0 | Sporadic cases |
| Greenland | 7 | 26 | 458 | 0 | 0 | 0 | No cases |
| Guernsey | 6 | 297 | 4 700 | 0 | 13 | 206 | Community transmission |
| Isle of Man | 1 | 374 | 4 398 | 0 | 25 | 294 | No cases |
| South-East Asia | 231 978 | 11 842 422 | 5 859 | 3 911 | 180 737 | 89 | |

| Reporting Country/Territory/Area ⁱ | New cases in last 7 days | Cumulative cases | Cumulative cases per 1 million population | New deaths in last 7 days | Cumulative deaths | Cumulative deaths per 1 million population | Transmission classification ⁱⁱ |
|--|--------------------------------|---------------------|---|---------------------------------|----------------------|---|---|
| India | 156 627 | 10 187 850 | 7 382 | 2 145 | 147 622 | 107 | Clusters of cases |
| Indonesia | 48 889 | 706 837 | 2 584 | 1 335 | 20 994 | 77 | Community transmission |
| Bangladesh | 8 539 | 508 099 | 3 085 | 186 | 7 428 | 45 | Community transmission |
| Myanmar | 7 082 | 121 280 | 2 229 | 181 | 2 579 | 47 | Clusters of cases |
| Nepal | 4 516 | 257 700 | 8 844 | 42 | 1 819 | 62 | Clusters of cases |
| Sri Lanka | 4 331 | 40 380 | 1 886 | 22 | 187 | 9 | Clusters of cases |
| Thailand | 1 689 | 6 020 | 86 | 0 | 60 | 1 | Clusters of cases |
| Bhutan | 151 | 597 | 774 | 0 | 0 | 0 | Clusters of cases |
| Maldives | 144 | 13 618 | 25 193 | 0 | 48 | 89 | Clusters of cases |
| Timor-Leste | 10 | 41 | 31 | 0 | 0 | 0 | Sporadic cases |
| Western Pacific | 53 073 | 1 059 751 | 539 | 663 | 19 558 | 10 | |
| Japan | 21 432 | 217 312 | 1 718 | 340 | 3 213 | 25 | Clusters of cases |
| Malaysia | 11 931 | 103 900 | 3 210 | 18 | 451 | 14 | Clusters of cases |
| Philippines | 10 961 | 469 005 | 4 280 | 156 | 9 067 | 83 | Community transmission |
| Republic of Korea | 7 211 | 56 872 | 1 109 | 134 | 808 | 16 | Clusters of cases |
| China | 608 | 96 324 | 65 | 7 | 4 777 | 3 | Clusters of cases |
| Australia | 168 | 28 296 | 1 110 | 0 | 908 | 36 | Sporadic cases |
| Mongolia | 129 | 1 082 | 330 | 0 | 0 | 0 | Clusters of cases |
| Singapore | 116 | 58 519 | 10 003 | 0 | 29 | 5 | Sporadic cases |
| Viet Nam | 29 | 1 440 | 15 | 0 | 35 | 0 | Clusters of cases |
| New Zealand | 28 | 1 788 | 371 | 0 | 25 | 5 | Clusters of cases |
| Papua New Guinea | 20 | 780 | 87 | 1 | 9 | 1 | Community transmission |
| Cambodia | 2 | 364 | 22 | 0 | 0 | 0 | Sporadic cases |
| Brunei Darussalam | 0 | 152 | 347 | 0 | 3 | 7 | No cases |
| Fiji | 0 | 46 | 51 | 0 | 2 | 2 | Sporadic cases |
| Lao People's Democratic Republic | 0 | 41 | 6 | 0 | 0 | 0 | Sporadic cases |
| Solomon Islands | 0 | 17 | 25 | 0 | 0 | 0 | Sporadic cases |
| Territories ⁱⁱⁱ | | | | | | | |

| Reporting Country/Territory/Area ⁱ | New cases in last 7 days | Cumulative cases | Cumulative cases per 1 million population | New deaths in last 7 days | Cumulative deaths | Cumulative deaths per 1 million population | Transmission classification ⁱⁱ |
|---|--------------------------------|---------------------|---|---------------------------------|----------------------|---|---|
| French Polynesia | 368 | 16 550 | 58 916 | 5 | 108 | 384 | Sporadic cases |
| Guam | 63 | 7 094 | 42 032 | 2 | 121 | 717 | Clusters of cases |
| Northern Mariana Islands (Commonwealth of the) | 6 | 122 | 2 120 | 0 | 2 | 35 | Pending |
| New Caledonia | 1 | 38 | 133 | 0 | 0 | 0 | Sporadic cases |
| Marshall Islands | 0 | 4 | 68 | 0 | 0 | 0 | Sporadic cases |
| Vanuatu | 0 | 1 | 3 | 0 | 0 | 0 | No cases |
| Wallis and Futuna | 0 | 4 | 356 | 0 | 0 | 0 | Sporadic cases |
| Global | 4 068 632 | 79 231 893 | 522 | 72 761 | 1 754 574 | 9 | |

**See data, table and figure notes

Technical guidance and other resources

- Technical guidance
- WHO Coronavirus Disease (COVID-19) Dashboard
- Weekly COVID-19 Operational Updates
- WHO COVID-19 case definitions
- COVID-19 Supply Chain Inter-Agency Coordination Cell Weekly Situational Update
- <u>Research and Development</u>
- Online courses on COVID-19 in official UN languages and in additional national languages
- <u>The Strategic Preparedness and Response Plan</u> (SPRP) outlining the support the international community can
 provide to all countries to prepare and respond to the virus
- Updates from WHO regions
- <u>African Region</u>

- <u>Region of the Americas</u>
- Eastern Mediterranean Region
- <u>European Region</u>
- Western Pacific Region

South-East Asia Region

Recommendations and advice for the public

- Protect yourself
- <u>Questions and answers</u>
- Travel advice
- EPI-WIN: tailored information for individuals, organizations and communities

Data, table and figure notes

Data presented are based on official laboratory-confirmed COVID-19 case and deaths reported to WHO by country/territories/areas, largely based upon WHO <u>case definitions</u> and <u>surveillance guidance</u>. While steps are taken to ensure accuracy and reliability, all data are subject to continuous verification and change, and caution must be taken when interpreting these data as several factors influence the counts presented, with variable underestimation of true case and death incidence, and variable delays to reflecting these data at global level. Case detection, inclusion criteria, testing strategies, reporting practices, and data cut-off and lag times differ between countries/territories/areas. A small number of countries/territories/areas report combined probable and laboratory-confirmed cases. Differences are to be expected between information products published by WHO, national public health authorities, and other sources. Due to public health authorities conducting data reconciliation exercises which remove large numbers of cases or deaths from their total counts, negative numbers may be displayed in the new cases/deaths columns as appropriate. When additional details become available that allow the subtractions to be suitably apportioned to previous days, graphics will be updated accordingly. See the log of major changes and errata for details. Prior situation reports will not be edited; see <u>covid19.who.int</u> for the most up-to-date data.

Global totals include 745 cases and 13 deaths reported from international conveyances.

The designations employed, and the presentation of these materials do not imply the expression of any opinion whatsoever on the part of WHO concerning the legal status of any country, territory or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement. Countries, territories and areas are arranged under the administering WHO region. The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by WHO in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

^[1] All references to Kosovo should be understood to be in the context of the United Nations Security Council resolution 1244 (1999). In the map, number of cases of Serbia and Kosovo (UNSCR 1244, 1999) have been aggregated for visualization purposes.

ⁱ Excludes countries, territories, and areas that have never reported a confirmed COVID-19 case.

ⁱⁱ Transmission classification is based on a process of country/territory/area self-reporting. Classifications are reviewed on a weekly basis and may be revised as new information becomes available. Differing degrees of transmission may be present within countries/territories/areas. For further information, please see: <u>Considerations for implementing and adjusting public health and social measures in the context of COVID-19</u>:

- No (active) cases: No new cases detected for at least 28 days (two times the maximum incubation period), in the presence of a robust surveillance system. This implies a near-zero risk of infection for the general population.
- Imported / Sporadic cases: Cases detected in the past 14 days are all imported, sporadic (e.g. laboratory acquired or zoonotic) or are all linked to imported/sporadic cases, and there are no clear signals of further locally acquired transmission. This implies minimal risk of infection for the general population.
- Clusters of cases: Cases detected in the past 14 days are predominantly limited to well-defined clusters that are not directly linked to imported cases, but which are all linked by time, geographic location and common exposures. It is assumed that there are a number of unidentified cases in the area. This implies a low risk of infection to others in the wider community if exposure to these clusters is avoided.
- Community transmission: Which encompasses a range of levels from low to very high incidence, as described below and informed by a series of indicators described in the aforementioned guidance. As these subcategorization are not currently collated at the global level, but rather intended for use by national and sub-national public health authorities for local decision-making, community transmission has not been disaggregated in this information product.
 - CT1: Low incidence of locally acquired, widely dispersed cases detected in the past 14 days, with many of the cases not linked to specific clusters; transmission may be focused in certain population sub-groups. Low risk of infection for the general population.
 - CT2: Moderate incidence of locally acquired, widely dispersed cases detected in the past 14 days; transmission less focused in certain population sub-groups. Moderate risk of infection for the general population.
 - CT3: High incidence of locally acquired, widely dispersed cases in the past 14 days; transmission widespread and not focused in population sub-groups. High risk of infection for the general population.
 - CT4: Very high incidence of locally acquired, widely dispersed cases in the past 14 days. Very high risk of infection for the general population.
- Pending: transmission classification has not been reported to WHO.

" "Territories" include territories, areas, overseas dependencies and other jurisdictions of similar status.