

Myanmar Health Assistant Association Vacancy Announcement Reannouncement (VA -210/2023 MHAA-HR)

Position Title	X-Ray Technician
No of post	2 Posts
Department/Project	End TB Project (Mobile Team)
Location	Thanatpin Township, Bago Region.
Report to	Medical Officer (Team Leader)
Application Deadline	23 May 2024(ASAP)

Myanmar Health Assistant Association (MHAA) is organized with Health Assistants and is a national association of public health professionals devoting towards accessible and equitable quality public health services through health promotion, prevention and control of diseases. MHAA stands as a united, independent organization earning public trust and international recognition. MHAA works in Myanmar to execute health programs that focus on strengthening and enhancing community access to coordinated, effective, and comprehensive health care services. MHAA is actively implementing programs in 89 townships of Myanmar in the areas of disease control, RMNCHN, WASH and emergency response. Accountability, respect for human dignity, empathy, nondiscrimination, integrity, and professionalism are among the MHAA's core values. Please visit www.myanmarhaa.org to learn more about the MHAA.

Position Summary

Under the supervision and guidance of Medical Officer (Team Leader) and Medical Officer (X-Ray), X-Ray Technician is responsible to ensure to get good quality X-Rays in accordance with national quality standards.

_1

Specific Duties and Responsibilities

- Ensure to get good quality X Rays in accordance with national quality standards
- Take main responsibility for maintenance of X Ray machines and accessories and also assist to Medical Doctor (X Ray)
- Estimate and prepare adequate stock of all essential items like X Ray films and other necessary stock requirements as per mobile team schedule
- Assist Medical Doctor (X Ray) to project consumption of X Ray films and necessary stocks as per mobile team schedules in monthly basis and report to Medical Doctor (X Ray)
- Assist to Medical Doctor (X Ray) for reporting and recording
- Follow HR rules and regulations of NTP with the direct supervision of TB RO/TL
- Staff may entitle to get other benefits from respective/hiring organization.

Requirement Qualification and Skill

- Must hold MOHS approved valid X-Ray technician license.
- Preferably relevant work experiences for 2 years.
- Must base in regions/states and willing to travel hard to reach sites.
- Honest, initiative and strong responsibility.
- Ability to work systematically, accurately, independently and under pressure.
- Flexibility ability to work with multi-disciplinary and multi-cultural people, open-minded, good communication skills, ability to listen, diplomacy.
- Respect and regard Myanmar Health Assistant Association (MHAA) Policy.

Application Instructions

Candidates should submit their application, including their curriculum vitae and application letter, in one attached file (either Word or PDF file), to the Myanmar Health Assistant Association at hr.recruitment@myanmarhaa.org, quoting "X-Ray Technician VA-210/2023 MHAA-HR" and referring clearly to the vacancy announcement number and location as advertised in the subject line. The deadline for applying is May 23, 2024 Myanmar time.

- □ Application will not be successful if applied position is not mentioned correctly.
- Only short-listed candidates will be contacted for interview. Telephone query will not be answered.
- □ Application received after the closing date and time will not be considered.

HR Unit Myanmar Health Assistant Association (MHAA) TB Hospital Road, Aung San, Insein Township, Yangon, Myanmar. Phone: (+95) 9409832273 Email: hr.recruitment@myanmarhaa.org

MHAA is an equal opportunity employer. We welcome applications from all qualified candidates, regardless of race, ethnic origin, religion, age, gender, sexual orientation, or disability. MHAA has a zero-tolerance policy on fraud and corruption, sexual exploitation, harassment, and abuse, and expects the commitment of its employees to the MHAA Code of Conduct including child protection.