

n (death) = 1

Ministry of Health and Sports (Myanmar) Department of Public Health Central Epidemiology Unit

(7 April 2020)

Situation Report - 3

Coronavirus Disease 2019 (COVID-19)

Data as reported by States and Regions by 8:00 PM MST 6 April 2020

Global Situation

(according to WHO situation report - 77, data as of 15:30 MST 6 April 2020)


Confirmed cases	Deaths
1210956	67594


Myanmar



Total tested Specimen for COVID-19 (as of 6-4-2020)				
	1340			
	Negative Positive Death		Death	
	1318	22	1	
No.	State/Region	COVID-19 confirmed cases	Death	
1.	Yangon	14(1 new)	1	
2.	Bago	4	-	
3.	Mandalay	1	-	
4.	Chin	1	-	
5.	Naypyitaw	1	-	
6.	Shan	1	-	
7.	Kayar	-	-	
8.	Rakhine	-	-	
9.	Magway	-	-	
10.	Ayeyarwaddy	-	-	
11.	Kayin	-	-	
12.	Sagaing	-	-	
13.	Kachin	-	-	
14.	Mon	-	-	
15.	Thanintharyi	-	-	
	Total 22(1 new) 1			

COVID-19 confirmed cases by date (23.1.2020 -6.4.2020), n= 22






No. of quarantine and PUI among contacts (23.3.2020 - 6.4.2020)

Quarantine and PUI among contact person	No. of person/case
Home quarantine	1072
Facility quarantine	101
Hospital quarantine	59
Person under investigation (PUI)	34
Total	1283

Summary of COVID-19 confirmed cases (23.1.2020 -6.4.2020)



Summary of situation (31.1.2020 – 6.4.2020)		
Type New Total		
Person Under Investigation (PUI)	31	807
Hospital Quarantine	11	149
Facility Quarantine	495	74777


Person under Investigation (PUI) by State/Region hospitals (31.1.2020 – 6.4.2020) n=807

Summary of Facility Quarantine List (as of 6.4.2020)


No.	State/Region	PUI
1.	Yangon	298
2.	Mandalay	98
3.	Bago	60
4.	Shan (N)	55
5.	Shan (E)	41
6.	Magway	34
7.	Kayar	33
8.	Shan (S)	33
9	Sagaing	29
10.	Kayin	28
11.	Rakhine	20
12.	Ayeyarwaddy	20
13.	Naypyitaw	19
14.	Kachin	14
15.	Mon	10
16.	Chin	8
17.	Tanintharyi	7
	Total	807

No.	State/Region	No. of facilities	Total no. of quar- antine people
1.	Magway	73	12,546
2.	Sagaing	1,293	11,871
3.	Bago	1,040	8,989
4.	Mon	479	8,724
5.	Mandalay	933	6,577
6.	Kachin	214	4,883
7.	Tanintharyi	25	3,635
8.	Shan (N)	164	3,489
9	Yangon	79	3,412
10.	Shan (S)	284	3,329
11.	Ayeyarwaddy	391	2,786
12.	Kayin	35	2,746
13.	Naypyitaw	5	809
14.	Kayar	17	370
15.	Rakhine	17	331
16.	Shan (E)	12	233
17.	Chin	17	40
	Total	5078	74,777

No. of Myawaddy Returnees (16-31st March, 2020) (n = 45498)



Preparedness and Response to COVID-19 in Myanmar



Case definitions for surveillance

Case and contact definitions are based on the current available information and are regularly revised as new information accumulates. Countries may need to adapt case definitions depending on their local epidemiological situation and other factors. All countries are encouraged to publish definitions used online and in regular situation reports, and to document periodic updates to definitions which may affect the interpretation of surveil-lance data.

Suspect case

A. A patient with acute respiratory illness (fever and at least one sign/symptom of respiratory disease, e.g., cough, shortness of breath), AND a history of travel to or residence in a location reporting community transmission of COVID-19 disease during the 14 days prior to symptom onset;

B. A patient with any acute respiratory illness AND having been in contact with a confirmed or probable COVID-19 case (see definition of contact) in the last 14 days prior to symptom onset;

C. A patient with severe acute respiratory illness (fever and at least one sign/symptom of respiratory disease, e.g., cough, shortness of breath; AND requiring hospitalization) AND in the absence of an alternative diagnosis that fully explains the clinical presentation.

Probable case

A. A suspect case for whom testing for the COVID-19 virus is inconclusive.

OR

B. A suspect case for whom testing could not be performed for any reason.

Confirmed case

A person with laboratory confirmation of COVID-19 infection, irrespective of clinical signs and Symptoms.

Contact

A **contact** is a person who experienced any one of the following exposures during the 2 days before and the 14 days after the onset of symptoms of a probable or confirmed case:

- 1. Face-to-face contact with a probable or confirmed case within 1 meter and for more than 15 minutes;
- 2. Direct physical contact with a probable or confirmed case;
- 3. Direct care for a patient with probable or confirmed COVID-19 disease without using proper personal protective equipment; OR
- 4. Other situations as indicated by local risk assessments.

Note: for confirmed asymptomatic cases, the period of contact is measured as the 2 days before through the 14 days after the date on which the sample was taken which led to confirmation

Reference: WHO